



X-MINE MONSTER

30x150W LED HEADS







X-MINE MONSTER






MIXED SLOPE LEVELLING

The **X-MINE MONSTER** faces a short climb or descent, the headlights do not move and the pole tilts so as to always remain perfectly **VERTICAL**.



240°





15°

15°



INTEGRATED DRIVE SYSTEM

(using single joystick)
with WI-FI remote console



- Multi-directionally electric adjustable and tiltable LED panel
- 10 meters hydraulic and foldable mast
- Galvanized metalworks
- 80 µc powder coating
- Robust lifting eyes
- Cable protected inside the mast with automatic reel
- Circuit breaker for electrical protection
- Outlet auxiliary socket
- High efficiency Kubota engine coupled with heavy duty Linz Electric alternator
- Wide crawler undercarriage to be secure and stable in any situation
- Constantly horizontal thanks to the dynamic levelling technology
- Integrated drive system with WI-FI remote console



**Automatic levelling
of the undercarriage**



APPLICATIONS



Rural & hard to reach areas



Construction & work sites



Gas, oil & mining operations

X-MINE
MONSTER
28X150W LED HEADS

General standard specifications

Length	3,30 m
Machine Width	1,49 m
Machine Height	1,98 m
TOT tower height	10m
Diesel Engine	Kubota D1105
Fuel Tank	150 liters
Consumption	1,6
Running time	94hrs
Power Generator	9Kva
Voltage	48VDC
LED TOT power	4500W (30x150W)
Maximum Driving Speed	2,2 Km/h
Self Dynamic Levelling	YES
Console - frontal panel control	By WI-FI
Longitudinal Levelling	+/- 15°
Lateral Levelling	+/- 15°
Gross Weight	3000 Kg

Option

LED TOT power	5700W (4x1200W + 1x900W)
---------------	-----------------------------



X-MINE
MONSTER



TRIME

Lighting Tower **Specialist**

TRIME s.r.l.

Strada per Robecco, snc

20081 Cassinetta di Lugagnano (MI) - Italy

Tel. +39 02 942 1724

Sales Dept. +39 0382 406 252

www.trime.it - info@trime.it

The TRIME policy is one of continuous improvement. The company reserves the right to modify the technical specifications and items described in this catalogue at any time and without notice for technical or commercial reasons. Product images are shown for information only

